

温州超鑫锁业有限公司
wenzhou chaoxin locks co.,ltd

地址：浙江省温州市鹿城区鹿城轻工业园区创荣路208号
ADD: Bld.1 .NO.208,Chuangrong Road,Lucheng Light Ind, Wenzhou , China

手机/Cel.: +86 13968881057

微信/Wechat: 13968881057

电话/Tel.: 0577-88609787

传真/Fax.: 0577-88609785

网址/Web.: www.lflocks.com

邮箱/E-mail: jolin.tong@lflocks.com

本产品可能在未预告的情况下进行规格变更,恕不通知。

该目录中产品的颜色由于印刷原因,内容可能于实际产品不符,实际尺寸以实际产品为准。

This product may not notice the conduct of the specifications to change without notice.

The directory products due to the color printing, AS in the actual product may be inconsistent with the actual products later.

♻️ 采用生态纸印刷

比肩国际理念，缔造经典品质

With international idea impartial manufacture model







温州超鑫锁业有限公司(原温州龙丰五金有限公司)是一家成立20余年的锁芯工厂。是专业制造中高档门锁的大型企业。公司目前拥有建筑面积20000平方米的生产区域、专业的机械设备与一流的技术人才。我们向客户提供优质的产品,同时也能针对客户的特制需求进行产品的个性化服务。我们公司始终专注于插芯门锁的研发,荣获多项国家实用新型专利以及外观设计专利。同时在2013年投入智能门锁研发与生产,现已大规模推广应用。公司产品通过了国家质量检测,以及欧盟的EN:1303认证。在生产过程中我们一直贯彻ISO9000质量管理体系,也获得质量管理体系的认证。

公司多年来专心致力于中高端门锁五金市场,以国家标准为基础,按国际标准进行研发设计,注重对自身生产的产品质量监控,依靠优良的产品和优质的服务开拓市场,引领行业发展。

Wenzhou Chaoxin Locks CO.,LTD (Used name :Wenzhou Longfeng Hardware) is a factory which specialized in manufacturing medium and high-grade door lock cylinder for more than 20 years. Our factory's production area is nearly 20,000 square meters. And our factory have first-class technical talents and professional mechanical equipment. Our factory always focus on the research and development of mortise locks. We have several national utility model patents and design patents. Our products has the national quality testing certification, like the EN: 1303 certification. In the production process, we have been implementing the ISO9000 quality management system.

Over the years, our factory has devoted to the high-grade door lock hardware market. Based on national standards, it conducts R&D and design according to international standards, pay attention to the quality control of our own production. We rely on high-quality products and customer service to open up the market and lead the industry.



锁芯编码方案 Cylinder Coding Scheme

CX: 温州超鑫锁业有限公司	CX: Wenzhou Chaoxin Locks Co.,LTD
C:为电脑锁芯;N:为普通锁芯	C: Computer Cylinder ; N: Normal Cylinder
D:为双开;S:为单开;BK-卫生间锁芯	D-Double Open , S: Single Open, BK:Bathroom
HALF-半边锁芯;HB-封闭锁芯	Half:Half Cylinder; HB-封闭锁芯
K-双排锁芯	K: Kaba cylinder:Double Grooves
H:为高级锁芯;VIP-蛇形锁芯;SVIP:珠中珠蛇形锁芯	H:High Security Cylinder; VIP:Super Safe-Snake Groove Cylinder; SVIP:Pin-In-Pin Snake Groove Cylinder
AB:AB功能防盗锁芯	AB:AB Function Secrecy cylinder
ABC:ABC功能防盗锁芯	ABC:ABC Function Secrecy cylinder
Z: 锌合金	Z:Zinc alloy
Al: 铝	AL: Aluminum
RK-可拆卸	RK: Removable Knob
HALF-半边锁芯	Half:Half Cylinder
HB-封闭锁芯	HB:Half Bloked
DL-保险	DL:Deadlocking
2K-两头互开	2K:2-Key in open
GC-齿轮波轮锁芯	GC:Gear Cam
OVAL-椭圆	OVAL:Oval Profile
W-门窗	W:Window
R-弹子	R:Rim
RM-外牙	RM:Rim Mortise
S-子母	S:Set
M-碟刹(用于摩托车)	M:Motorcycle
表面处理代号(请见颜色代码P25)	Color Code(Page25)
钥匙编号(钥匙形状列表P23)	Key Shape(Page23)
旋钮编号(旋钮列表P20-22)	Konb Shape(Page20-22)




珠中珠

CX-SVIP



曲线的美感和柔韧的线条，饱满而整齐，
散发着纯净材质的诱人魅力。

The beautiful and flexible curves are orderly and plump,
Giving out the charm of pure material.



CX-VIP01

Advantages:

The lock cylinder is a multi-structured mechanism consisting of I-shaped pins and S-shaped groove, which is pick-resistant, anti-drill, and can not be technically activated.

Features:

The lock cylinder is registered and protected by patents
High hardness and high endurance
Cam designed with a 30° slope
Permutation capacity (the theoretical number of different cylinders): 15 million

1、B级是高防护级别

国家标准GA/T73-94中规定，产品按其防盗能力分普通防护级别和高防护级别。普通防护级别用字母“A”表示，高防护级别用字母“B”表示。

2、防破坏功能

将机械防盗锁正常安装，使用国家规定的试验工具对机械防盗锁实施防钻、防锯、防撬、防拉、防冲击、防技术开启试验，锁被破坏、被打开的净工作时间应不少于表1的规定。

表1 防破坏净工作时间（分钟）

级别\项目	防钻	防锯	防撬	防拉	防冲击	防技术开启
A级	15	5	15	15	15	1
B级	30	10	30	30	30	5

3、低互开率

用钥匙开启的机械防盗锁，B级别互开率应不大于0.01%，A级别互开率应不大于0.03%

蛇型槽锁芯

SUPER-SAFE LOCK CYLINDER(VIP CYLINDER)



The lock can not be activated within 270 minutes under the highest-level security standard test carried out by the Ministry of Public Security.

The S-shaped groove and two parallel pin rows contribute to high permutation capacity: 15 million.

Anti-drill; Anti-snap; Anti-break; Anti-pick; Anti-bump; Anti-tinfoil
防钻 防撬 防打断 防技术开启

SUPER-SAFE LOCK CYLINDER



CX-VIP01

本产品由中国平安保险公司承保，保单号：24806020204020900004，如果因为技术故障造成户主损失最高可获赠20万元。同时，本产品已通过公安部防盗锁具最高检验级别-B级，270分钟无法开启。

本锁的特点是在原有的双排基础上增加了一组异行侧面弹子，使技术性开启几乎不可能实现。同时由于弹子数量的增加，密钥量可达1500万以上。锁芯内钢质横销能有效防止暴力开锁。钥匙上的蛇形槽是通过电脑随机生成，杜绝了街边地摊模仿配钥匙的可能，从而极大地保障了你的生命和财产安全。

可选配钥匙：
Key Selection



双排防打断锁芯

DOUBLE LINE ANTI-DRILLING CYLINDER



双排防打断锁芯 Double Line Anti-drilling Cylinder



CX-VIP02

防钻 防撬 防打断 防技术开启
Anti-drill; Anti-snap; Anti-break;
Anti-pick; Anti-bump; Anti-tinfoil

功能说明：

- 一、先进的数控设备，加工精度高，互开率远低于0.01%
- 二、防撬功能：双排弹珠结构，精度高；防撬弹珠，有效防止技术开启。
- 三、防钻功能：轴承钢制成防钻销，硬度达到HR065；高速钢钻头钻不进去，合金钻头会折断；安装不锈钢弹珠，进一步增强防钻功能。
- 四、防打断功能：彩用分体式结构，优质钢材连接，有效避免一体式锁芯容易被打断的危险。

Function: Anti-drilling, Anti-picking, Anti-snap, Anti-breaking, etc.



产品互开率达1500万
High permutation capacity: 15 million

欧式切槽锁芯-防护弹子 Euro Snap Cylinder-Security Pins




CX-HN-SNAP1

欧式电脑锁芯-防护弹子 Euro Cylinder-Computer Key -Security Pins



CX-HC-SP1

欧式切槽锁芯-防打断钢梁 Euro Snap Cylinder-Anti Break Bar



CX-HN-SNAP2

欧式切槽锁芯 Euro Snap Cylinder-Anti Break Bar-Computer Key



CX-HC-SNAP2

SNAP.SAFE ;ANTI-DRILL;ANTI-BREAK;ANTI-PICK;ANTI-BREAK BAR

SNAP.SAFE ;ANTI-DRILL;ANTI-BREAK;ANTI-PICK;ANTI-BREAK BAR

S槽双排弹子锁芯 S Groove Kaba Cylinder



CX-KND

电脑双排弹子锁芯 Computer Kaba Cylinder



CX-KCD

双排弹子高精度安全锁芯特征：引进意大利技术制作牙花，精度高，结构严密配有10个弹子，使组合优化增加32倍，更安全保密。
Features of high-precision Kaba key cylinder: With 10 pins on each key, the key combination will be increased by 32 times more, which can greatly improve the cylinder safety

AB和ABC功能的锁芯是一种新型的防盗锁，它以保护主人的安全为目的而设计的
The AB and ABC function lock cylinders are new types of anti-theft lock cylinder. They are designed to protect the owner's home safety.

AB防盗门锁系列 AB Security Cylinder



CX-KDAB

ABC防盗门锁系列 ABC Security Cylinder



CX-VIP-ABC


B钥匙给安装工使用，安装结束后用C钥匙插入锁芯转动360°，B钥匙失效，AC钥匙正常使用。
避免安装期间钥匙被复制而产生的安全隐患。

The B keys are used by the installer. After the installation, the C key is inserted into the lock cylinder and rotated 360°. Then the B keys are invalid and the A and C keys are can be used normally(C key can be used as A keys after decoding). To avoid the security risks caused by the key being copied during installation.



工程套装锁具
Engineering lock sets



公司套装锁具
Company lock sets




宿舍管理锁系统
DORMITORY LOCK SYSTEM




各住户可开公共门、楼层通道门和各自的房门
Each key can open the public door, storey passage door and its own individual door


多级管理锁系统
GENERAL MASTER KEY SYSTEM




多级管理锁系统分为两组或多组，每组锁都有独立钥匙，同时每组锁都可被该组的主钥匙开启，另外此系统的最高级主钥匙可开启此系统中每把锁。
The system are divided to two or more groups of locks which have its own individual key, But each group of locks is operated by a master key, And the entire system is operated by one grand master key.




品名/Item No.	普通双开锁芯 Double Open Cylinder-Normal Key
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.




品名/Item No.	普通单开锁芯 Single Open Cylinder-Normal Key
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	6
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.




品名/Item No.	普通单开锁芯 Single Open Cylinder-Normal Key
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.




品名/Item No.	电脑双开锁芯 Double Open Cylinder-Computer Key
材质/Material	铜 / Brass
长度/Length	60-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.




品名/Item No.	普通单开锁芯 (旋钮可拆卸) Single Open Cylinder-Normal Key(Removable Knob)
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.



品名/Item No.	电脑单开锁芯 Single Open Cylinder-Computer Key
材质/Material	铜 / Brass
长度/Length	60-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.



品名/Item No.	普通双开锁芯 Double Open Cylinder-Normal Key
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	6
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.




品名/Item No.	卫生间无开锁芯 Bathroom Cylinder
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	0
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-BKRK



卫生间无开锁芯(旋钮可拆卸)
Bathroom Cylinder(Removable Knob)




品名/Item No.	卫生间无开锁芯(旋钮可拆卸) Bathroom Cylinder(Removable Knob)
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	1location pin(定位弹子)
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-KND



S槽双排弹子锁芯
S Groove Kaba Cylinder




品名/Item No.	S槽双排弹子锁芯 S Groove Kaba Cylinder
材质/Material	铜 / Brass
长度/Length	60-120 mm
弹子/Pins	10
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-NHALF



半边锁芯
Half Cylinder




品名/Item No.	半边锁芯 Half Cylinder
材质/Material	铜 / Brass
长度/Length	35-55 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-KNS



S槽双排单开锁芯
S Groove Kaba Cylinder-Single Open




品名/Item No.	S槽双排单开锁芯 S Groove Kaba Cylinder-Single Open
材质/Material	铜 / Brass
长度/Length	60-120 mm
弹子/Pins	10
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-CGC



齿轮锁芯
Gear Cam Cylinder




品名/Item No.	齿轮锁芯 Gear Cam Cylinder
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	/
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-KCD



电脑双排弹子锁芯
Computer Kaba Cylinder




品名/Item No.	电脑双排弹子锁芯 Computer Kaba Cylinder
材质/Material	铜 / Brass
长度/Length	60-120 mm
弹子/Pins	10
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-CHB



封闭锁芯
Half Blocked Cylinder




品名/Item No.	封闭锁芯 Half Blocked Cylinder
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-KCS



电脑双排单开锁芯
Computer Kaba Cylinder-Single Open




品名/Item No.	电脑双排单开锁芯 Computer Kaba Cylinder-Single Open
材质/Material	铜 / Brass
长度/Length	60-120 mm
弹子/Pins	10
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-HN-SNAP1



欧式切槽锁芯-防护弹子
Euro Snap Cylinder-Security Pins




品名/Item No.	欧式切槽锁芯-防护弹子 Euro Snap Cylinder-Security Pins
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	6
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-HC-SP1



欧式电脑锁芯-防护弹子
Euro Cylinder-Computer Key-Security Pins




品名/Item No.	欧式电脑锁芯-防护弹子 Euro Cylinder-Computer Key-Security Pins
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-HN-SNAP2



欧式切槽锁芯-防打断钢梁
Euro Snap Cylinder-Anti Break Bar




品名/Item No.	欧式切槽锁芯-防打断钢梁 Euro Snap Cylinder-Anti Break Bar
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-ND-2K



两头互开锁芯
2-Key-In Open Cylinder




品名/Item No.	两头互开锁芯 2-Key-In Open Cylinder
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-HC-SNAP2



欧式切槽锁芯
Euro Snap Cylinder-Anti Break Bar-Computer Key




品名/Item No.	欧式切槽锁芯 Euro Snap Cylinder-Anti Break Bar-Computer Key
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-DCD-GC



电脑双排双开齿轮锁芯
Computer Kaba Cylinder-Gear Cam




品名/Item No.	电脑双排双开齿轮锁芯 Computer Kaba Cylinder-Gear Cam
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	10
拨轮角度/Cam Degree	7
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-H03D



欧式电脑双排切槽锁芯
Euro Snap Cylinder-Computer Kaba Cylinder




品名/Item No.	欧式电脑双排切槽锁芯 Euro Snap Cylinder-Computer Kaba Cylinder
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	10
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-HCS-SNAP



欧式电脑双排切槽锁芯
Euro Snap Cylinder-Anti Break Bar-Computer Key




品名/Item No.	欧式电脑双排切槽锁芯 Euro Snap Cylinder-Anti Break Bar-Computer Key
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-ND-SP



螺丝封门锁芯
Screw Cover Pins Lock Cylinder



品名/Item No.	螺丝封门锁芯 Screw Cover Pins Lock Cylinder
材质/Material	铜 / Brass
长度/Length	40-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

特殊锁芯系列
SPECIAL CYLINDER SERIES


锌合金外壳锁芯系列
ZINC SHELL CYLINDER SERIES



CX-VIP-HALF



半边锁芯-蛇型槽
Half Cylinder-Snake Groove




品名/Item No.	半边锁芯-蛇型槽 Half Cylinder-Snake Groove
材质/Material	铜 / Brass
长度/Length	35-60 mm
弹子/Pins	10+4
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-VIP01



蛇型槽锁芯
Super-Safe Lock Cylinder(Vip Cylinder)




品名/Item No.	蛇型槽锁芯 Super-Safe Lock Cylinder(Vip Cylinder)
材质/Material	铜 / Brass
长度/Length	60-120 mm
弹子/Pins	10+4
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-VIP02



双排防打断锁芯
Double Line Anti-Drilling Cylinder




品名/Item No.	双排防打断锁芯 Double Line Anti-Drilling Cylinder
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	10+4
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-SVIP



珠中珠锁芯
Pin-In-Pin Cylinder




品名/Item No.	珠中珠锁芯 Pin-In-Pin Cylinder
材质/Material	铜 / Brass
长度/Length	70-120 mm
弹子/Pins	5+4
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-Z-CD



锌外壳电脑双开锁芯




品名/Item No.	锌外壳电脑双开锁芯
材质/Material	锌合金+铜/ Zinc+Brass
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-Z-CS



锌外壳电脑单开锁芯




品名/Item No.	锌外壳电脑单开锁芯
材质/Material	锌合金+铜/ Zinc+Brass
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

CX-Z-ND



锌外壳普通双开锁芯




品名/Item No.	锌外壳普通双开锁芯
材质/Material	锌合金+铜/ Zinc+Brass
长度/Length	30-55 mm
弹子/Pins	4
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.


CX-Z-NS




锌外壳普通单开锁芯





品名/Item No.	锌外壳普通单开锁芯
材质/Material	锌合金+铜/ Zinc+Brass
长度/Length	40-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.



品名/Item No.	铝外壳单开锁芯
材质/Material	铜+铝 / Brass+Aluminum
长度/Length	40-120 mm
弹子/Pins	5
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.




品名/Item No.	铝外壳电脑双开锁芯
材质/Material	铜+铝 / Brass+Aluminum
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.


















品名/Item No.	铝外壳电脑单开锁芯
材质/Material	铜+铝 / Brass+Aluminum
长度/Length	70-120 mm
弹子/Pins	7
拨轮角度/Cam Degree	0: 30
尺寸/Dimension	A=32.7 B=16.7 C=9.7 (mm)
	A=29.7 B=15.7 C=9.7 (mm)
	A=33.0 B=17.0 C=10 (mm)
颜色/Surface Finish	AB,SN,AC, PB,CP,BS etc.

外牙锁芯 Rim Mortise Cylinder




品名/Item No.	外牙锁芯 Rim Mortise Cylinder
材质/Material	铜 / Brass
尺寸/Dimension	C=30/35/40/45/50(mm)






钥匙形状
KEY SHAPE SERIES



钥匙槽形
KEY WAY SERIES



颜色代码

COLOR CODE

中文全称	英文缩写
镀铜	BBP
镀镍	NBP
黑镍=钛黑	TB
沙金	MG
沙铬	MC
沙镍	MN
珍珠镍	GN
青古铜	AB
红古铜	AC
亚光脏古铜	MKB
亮光脏古铜	BKB
亚光青古铜	MAB
亚光红古铜	MAC
黄PVD	PVDG
黄PVD	PVDC
玫瑰金	RG
玫瑰金拉丝	SRG
亮铬	CP
铬拉丝	SC
亮镍	NP
镍拉丝	SN
枪黑	GPD
钛黑=黑镍	TB
钛黑拉丝	SBN
铜本色	BP
铜本色拉丝	SBP
二元仿金	LGP
二元金拉丝	LSG
三元仿金	DGP
三元金拉丝	DSG
太空绿	TKL
亚太空绿	MTKL

中文全称	英文缩写
太空绿拉丝	STKL
铜拉丝+罩光	BB
铜抛光+罩光	PB
亮光喷黑塑	BC
亚光喷黑塑	SMBC
半亚光喷黑塑	MBC
不锈钢抛光	PSS
不锈钢拉丝	SS
咖啡色	CF
铜拉丝/铜抛光+罩光	BB/PB
二元金拉丝/二元仿金	LSG/LGP
三元金拉丝/三元仿金	DSG/DGP
玫瑰金拉丝/玫瑰金	SRG/RG
镍拉丝/亮铬	SN/CP
铬拉丝/亮铬	SC/CP
镍拉丝/三元仿金	SN/DGP
沙金/三元仿金	MG/DGP
镍拉丝/亮镍	SN/NP
枪黑/三元仿金	GPD/DGP
钛黑/三元仿金	TB/DGP
铜本色拉丝/铜本色	SBP/BP
亮铬/沙铬	CP/MC
镍拉丝/太空绿	SN/TKL
青古铜/亮太空绿	AB/BTKL
亮镍/三元仿金	NP/DGP
青古铜/三元仿金	AB/DGP
亮镍/黑镍=钛黑	NP/TB
亮铬/玫瑰金	CP/RG
做砂	GR
亚光青古铜/青古铜	MAB/AB
镍拉丝/钛黑	SN/TB